


Revised Thermocouple Reference Tables

TYPE R


Reference Tables
N.I.S.T.
Monograph 175
Revised to ITS-90



Thermocouple Grade
NONE ESTABLISHED

Platinum-13% Rhodium
VS.
Platinum

Extension Grade



MAXIMUM TEMPERATURE RANGE
Thermocouple Grade
32 to 2642°F
0 to 1450°C
Extension Grade
32 to 300°F
0 to 150°C

LIMITS OF ERROR
(whichever is greater)
Standard: 1.5°C or 0.25%
Special: 0.6°C or 0.1%

COMMENTS, BARE WIRE ENVIRONMENT:
Oxidizing or Inert; Do Not Insert in Metal Tubes;
Beware of Contamination; High Temperature

**TEMPERATURE IN DEGREES °F
REFERENCE JUNCTION AT 32°F**

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F	°F	0	1	2	3	4	5	6	7	8	9	10	°F
2900	18.756	18.764	18.772	18.779	18.787	18.795	18.803	18.810	18.818	18.826	18.834	2900	3100	20.281	20.289	20.296	20.304	20.311	20.319	20.326	20.333	20.341	20.348	20.356	3100
2910	18.834	18.841	18.849	18.857	18.864	18.872	18.880	18.887	18.895	18.903	18.911	2910	3110	20.356	20.363	20.371	20.378	20.385	20.393	20.400	20.407	20.415	20.422	20.430	3110
2920	18.911	18.918	18.926	18.934	18.941	18.949	18.957	18.965	18.972	18.980	18.988	2920	3120	20.430	20.437	20.444	20.452	20.459	20.466	20.474	20.481	20.488	20.496	20.503	3120
2930	18.988	18.995	19.003	19.011	19.018	19.026	19.034	19.042	19.049	19.057	19.065	2930	3130	20.503	20.510	20.518	20.525	20.532	20.540	20.547	20.554	20.562	20.569	20.576	3130
2940	19.065	19.072	19.080	19.088	19.095	19.103	19.111	19.118	19.126	19.134	19.141	2940	3140	20.576	20.583	20.591	20.598	20.605	20.612	20.620	20.627	20.634	20.641	20.649	3140
2950	19.141	19.149	19.157	19.165	19.172	19.180	19.188	19.195	19.203	19.211	19.218	2950	3150	20.649	20.656	20.663	20.670	20.678	20.685	20.692	20.699	20.706	20.714	20.721	3150
2960	19.218	19.226	19.234	19.241	19.249	19.257	19.264	19.272	19.280	19.287	19.295	2960	3160	20.721	20.728	20.735	20.742	20.749	20.756	20.764	20.771	20.778	20.785	20.792	3160
2970	19.295	19.303	19.310	19.318	19.326	19.333	19.341	19.349	19.356	19.364	19.372	2970	3170	20.792	20.799	20.806	20.813	20.821	20.828	20.835	20.842	20.849	20.856	20.863	3170
2980	19.372	19.379	19.387	19.395	19.402	19.410	19.418	19.425	19.433	19.440	19.448	2980	3180	20.863	20.870	20.877	20.884	20.891	20.898	20.905	20.912	20.919	20.926	20.933	3180
2990	19.448	19.456	19.463	19.471	19.479	19.486	19.494	19.502	19.509	19.517	19.525	2990	3190	20.933	20.940	20.947	20.954	20.961	20.968	20.975	20.982	20.989	20.996	21.003	3190
3000	19.525	19.532	19.540	19.547	19.555	19.563	19.570	19.578	19.586	19.593	19.601	3000	3200	21.003	21.010	21.016	21.023	21.030	21.037	21.044	21.051	21.058	21.065	21.071	3200
3010	19.601	19.609	19.616	19.624	19.631	19.639	19.647	19.654	19.662	19.670	19.677	3010	3210	21.071	21.078	21.085	21.092	21.099							3210
3020	19.677	19.685	19.692	19.700	19.708	19.715	19.723	19.730	19.738	19.746	19.753	3020													
3030	19.753	19.761	19.769	19.776	19.784	19.791	19.799	19.807	19.814	19.822	19.829	3030													
3040	19.829	19.837	19.845	19.852	19.860	19.867	19.875	19.882	19.890	19.898	19.905	3040													
3050	19.905	19.913	19.920	19.928	19.936	19.943	19.951	19.958	19.966	19.973	19.981	3050													
3060	19.981	19.989	19.996	20.004	20.011	20.019	20.026	20.034	20.041	20.049	20.056	3060													
3070	20.056	20.064	20.072	20.079	20.087	20.094	20.102	20.109	20.117	20.124	20.132	3070													
3080	20.132	20.139	20.147	20.154	20.162	20.169	20.177	20.184	20.192	20.199	20.207	3080													
3090	20.207	20.214	20.222	20.229	20.237	20.244	20.252	20.259	20.266	20.274	20.281	3090													
°F	0	1	2	3	4	5	6	7	8	9	10	°F	°F	0	1	2	3	4	5	6	7	8	9	10	°F

MAXIMUM TEMPERATURE RANGE

Thermocouple Grade

32 to 3092°F
0 to 1700°C

Extension Grade

32 to 212°F
0 to 100°C

LIMITS OF ERROR

(whichever is greater)


Standard: 0.5°C over 800°C

Special: NOT ESTABLISHED

COMMENTS, BARE WIRE ENVIRONMENT:

Oxidizing or Inert; Do Not Insert in Metal Tubes;
Beware of Contamination; High Temperature;
Common Use in Glass Industry


TEMPERATURE IN DEGREES °F
REFERENCE JUNCTION AT 32°F



Thermocouple Grade

NONE ESTABLISHED

Platinum-30% Rhodium
VS.
Platinum-6% Rhodium



Extension Grade

Revised Thermocouple Reference Tables

TYPE B
Reference Tables
N.I.S.T.
Monograph 175
Revised to ITS-90

Z


Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F	°F	0	1	2	3	4	5	6	7	8	9	10	°F
30			0.000	0.000	0.000	0.000	-0.001	-0.001	-0.001	-0.001	-0.001	30	600	0.479	0.481	0.483	0.485	0.486	0.488	0.490	0.492	0.494	0.495	0.497	600
40	-0.001	-0.001	-0.001	-0.001	-0.001	-0.001	-0.002	-0.002	-0.002	-0.002	-0.002	40	610	0.497	0.499	0.501	0.503	0.505	0.506	0.508	0.510	0.512	0.514	0.516	610
50	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	50	620	0.516	0.517	0.519	0.521	0.523	0.525	0.527	0.529	0.530	0.532	0.534	620
60	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	60	630	0.534	0.536	0.538	0.540	0.542	0.544	0.546	0.547	0.549	0.551	0.553	630
70	-0.003	-0.003	-0.003	-0.003	-0.003	-0.003	-0.003	-0.002	-0.002	-0.002	-0.002	70	640	0.553	0.555	0.557	0.559	0.561	0.563	0.565	0.567	0.569	0.570	0.572	640
80	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	-0.002	80	650	0.572	0.574	0.576	0.578	0.580	0.582	0.584	0.586	0.588	0.590	0.592	650
90	-0.002	-0.002	-0.002	-0.002	-0.002	-0.001	-0.001	-0.001	-0.001	-0.001	-0.001	90	660	0.592	0.594	0.596	0.598	0.600	0.602	0.604	0.606	0.608	0.610	0.612	660
100	-0.001	-0.001	-0.001	-0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000	100	670	0.612	0.614	0.616	0.618	0.620	0.622	0.624	0.626	0.628	0.630	0.632	670
110	0.000	0.000	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.002	0.002	110	680	0.632	0.634	0.636	0.638	0.640	0.642	0.644	0.646	0.648	0.650	0.653	680
120	0.002	0.002	0.002	0.002	0.003	0.003	0.003	0.003	0.003	0.004	0.004	120	690	0.653	0.655	0.657	0.659	0.661	0.663	0.665	0.667	0.669	0.671	0.673	690
130	0.004	0.004	0.004	0.005	0.005	0.005	0.005	0.006	0.006	0.006	0.006	130	700	0.673	0.675	0.678	0.680	0.682	0.684	0.686	0.688	0.690	0.692	0.694	700
140	0.006	0.006	0.007	0.007	0.007	0.007	0.008	0.008	0.008	0.009	0.009	140	710	0.694	0.697	0.699	0.701	0.703	0.705	0.707	0.709	0.712	0.714	0.716	710
150	0.009	0.009	0.009	0.010	0.010	0.010	0.011	0.011	0.011	0.012	0.012	150	720	0.716	0.718	0.720	0.722	0.725	0.727	0.729	0.731	0.733	0.735	0.738	720
160	0.012	0.012	0.013	0.013	0.013	0.014	0.014	0.014	0.015	0.015	0.015	160	730	0.738	0.740	0.742	0.744	0.746	0.749	0.751	0.753	0.755	0.757	0.760	730
170	0.015	0.016	0.016	0.016	0.017	0.017	0.017	0.018	0.018	0.019	0.019	170	740	0.760	0.762	0.764	0.766	0.769	0.771	0.773	0.775	0.778	0.780	0.782	740
180	0.019	0.019	0.020	0.020	0.021	0.021	0.021	0.022	0.022	0.023	0.023	180	750	0.782	0.784	0.787	0.789	0.791	0.793	0.796	0.798	0.800	0.802	0.805	750
190	0.023	0.023	0.024	0.024	0.025	0.025	0.026	0.026	0.027	0.027	0.027	190	760	0.805	0.807	0.809	0.812	0.814	0.816	0.818	0.821	0.823	0.825	0.828	760
200	0.027	0.028	0.028	0.029	0.029	0.030	0.030	0.031	0.031	0.032	0.032	200	770	0.828	0.830	0.832	0.835	0.837	0.839	0.842	0.844	0.846	0.849	0.851	770
210	0.032	0.033	0.033	0.034	0.034	0.035	0.035	0.036	0.036	0.037	0.037	210	780	0.851	0.853	0.856	0.858	0.860	0.863	0.865	0.867	0.870	0.872	0.875	780
220	0.037	0.038	0.038	0.039	0.039	0.040	0.041	0.041	0.042	0.042	0.043	220	790	0.875	0.877	0.879	0.882	0.884	0.886	0.889	0.891	0.894	0.896	0.898	790
230	0.043	0.043	0.044	0.044	0.045	0.046	0.046	0.047	0.047	0.048	0.049	230	800	0.898	0.901	0.903	0.906	0.908	0.910	0.913	0.915	0.918	0.920	0.923	800
240	0.049	0.049	0.050	0.050	0.051	0.052	0.052	0.053	0.053	0.054	0.055	240	810	0.923	0.925	0.927	0.930	0.932	0.935	0.937	0.940	0.942	0.945	0.947	810
250	0.055	0.055	0.056	0.057	0.057	0.058	0.059	0.059	0.060	0.060	0.061	250	820	0.947	0.950	0.952	0.955	0.957	0.959	0.962	0.964	0.967	0.969	0.972	820
260	0.061	0.062	0.062	0.063	0.064	0.065	0.065	0.066	0.067	0.067	0.068	260	830	0.972	0.974	0.977	0.979	0.982	0.984	0.987	0.989	0.992	0.994	0.997	830
270	0.068	0.069	0.069	0.070	0.071	0.072	0.072	0.073	0.074	0.074	0.075	270	840	0.997	1.000	1.002	1.005	1.007	1.010	1.012	1.015	1.017	1.020	1.022	840
280	0.075	0.076	0.077	0.077	0.078	0.079	0.080	0.080	0.081	0.082	0.083	280	850	1.022	1.025	1.027	1.030	1.033	1.035	1.038	1.040	1.043	1.045	1.048	850
290	0.083	0.083	0.084	0.085	0.086	0.086	0.087	0.088	0.088	0.089	0.090	290	860	1.048	1.051	1.053	1.056	1.058	1.061	1.064	1.066	1.069	1.071	1.074	860
300	0.090	0.091	0.092	0.093	0.094	0.094	0.095	0.096	0.096	0.097	0.098	300	870	1.074	1.077	1.079	1.082	1.085	1.087	1.090	1.092	1.095	1.098	1.100	870
310	0.099	0.099	0.100	0.101	0.102	0.103	0.104	0.105	0.105	0.106	0.107	310	880	1.100	1.103	1.106	1.108	1.111	1.114	1.116	1.119	1.122	1.124	1.127	880
320	0.107	0.108	0.109	0.110	0.111	0.112	0.112	0.113	0.114	0.115	0.116	320	890	1.127	1.130	1.132	1.135	1.138	1.140	1.143	1.146	1.148	1.151	1.154	890
330	0.116	0.117	0.118	0.119	0.120	0.121	0.121	0.122	0.123	0.124	0.125	330	900	1.154	1.157	1.159	1.162	1.165	1.167	1.170	1.173	1.176	1.178	1.181	900
340	0.125	0.126	0.127	0.128	0.129	0.130	0.131	0.132	0.133	0.134	0.135	340	910	1.181	1.184	1.186	1.189	1.192	1.195	1.197	1.200	1.203	1.206	1.208	910
350	0.135	0.136	0.137	0.138	0.139	0.140	0.141	0.142	0.143	0.144	0.145	350	920	1.208	1.211	1.214	1.217	1.220	1.222	1.225	1.228	1.231	1.233	1.236	920
360	0.145	0.146	0.147	0.148	0.149	0.150	0.151	0.152	0.153	0.154	0.155	360	930	1.236	1.239	1.242	1.245	1.247	1.250	1.253	1.256	1.259	1.262	1.264	930
370	0.155	0.156	0.157	0.158	0.159	0.160	0.161	0.162	0.163	0.164	0.165	370	940	1.264	1.267	1.270	1.273	1.276	1.278	1.281	1.284	1.287	1.290	1.293	940
380	0.165	0.166	0.167	0.168	0.170	0.171	0.172	0.173	0.174	0.175	0.176	380	950	1.293	1.296	1.298	1.301	1.304	1.307	1.310	1.313	1.316	1.318	1.321	950
390	0.176	0.177	0.178	0.179	0.180	0.182	0.183	0.184	0.185	0.186	0.187	390	960	1.321	1.324	1.327	1.330	1.333	1.336	1.339	1.342	1.344	1.347	1.350	960
400	0.187	0.188	0.190	0.191	0.192	0.193	0.194	0.195	0.196	0.198	0.199	400	970	1.350	1.353	1.356	1.359	1.362	1.365	1.368	1.371	1.374	1.377	1.379	970
410	0.199	0.200	0.201	0.202	0.203	0.205	0.206	0.207	0.208	0.209	0.211	410	980	1.379	1.382	1.385	1.388	1.391							

Revised Thermocouple Reference Tables

TYPE B

Reference Tables
N.I.S.T.
Monograph 175
Revised to ITS-90




Thermocouple Grade

NONE ESTABLISHED

Platinum-30% Rhodium
VS.
Platinum-6% Rhodium

Extension Grade



MAXIMUM TEMPERATURE RANGE

Thermocouple Grade

32 to 3092°F

0 to 1700°C

Extension Grade

32 to 212°F

0 to 100°C

LIMITS OF ERROR

(whichever is greater)

Standard: 0.5°C over 800°C

Special: NOT ESTABLISHED

COMMENTS, BARE WIRE ENVIRONMENT:
Oxidizing or Inert; Do NOT Insert in Metal Tubes;
Beware of Contamination; High Temperature;
Common Use in Glass Industry

TEMPERATURE IN DEGREES °F
REFERENCE JUNCTION AT 32°F

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F	1800	1810	1820	1830	1840	1850	1860	1870	1880	1890	1900	1910	1920	1930	1940	1950	1960	1970	1980	1990	2000	2010	2020	2030	2040	2050	2060	2070	2080	2090	2100	2110	2120	2130	2140	2150	2160	2170	2180	2190	2200	2210	2220	2230	2240	2250	2260	2270	2280	2290	2300	2310	2320	2330	2340	2350	2360	2370	2380	2390																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1200	2.094	2.097	2.101	2.104	2.108	2.111	2.115	2.118	2.122	2.126	2.129	1200	4.680	4.673	4.678	4.683	4.688	4.693	4.698	4.703	4.708	4.713	4.718	4.723	1800	4.724	4.728	4.733	4.738	4.743	4.748	4.754	4.759	4.764	4.769	4.774	1810	4.774	4.779	4.784	4.789	4.794	4.799	4.804	4.809	4.814	4.819	4.824	1820	4.824	4.829	4.834	4.839	4.844	4.850	4.855	4.860	4.865	4.870	4.875	1830	4.875	4.880	4.885	4.890	4.895	4.900	4.905	4.911	4.916	4.921	4.926	1840	4.926	4.931	4.936	4.941	4.946	4.951	4.957	4.962	4.967	4.972	4.977	1850	4.977	4.982	4.987	4.992	4.998	5.003	5.008	5.013	5.018	5.023	5.028	1860	5.028	5.034	5.039	5.044	5.049	5.054	5.059	5.065	5.070	5.075	5.080	1870	5.080	5.085	5.090	5.096	5.101	5.106	5.111	5.116	5.121	5.127	5.132	1880	5.132	5.137	5.142	5.147	5.153	5.158	5.163	5.168	5.173	5.179	5.184	1890	5.184	5.189	5.194	5.199	5.205	5.210	5.215	5.220	5.225	5.231	5.236	1900	5.236	5.241	5.246	5.252	5.257	5.262	5.267	5.273	5.278	5.283	5.288	1910	5.288	5.294	5.299	5.304	5.309	5.315	5.320	5.325	5.330	5.336	5.341	1920	5.341	5.346	5.351	5.357	5.362	5.367	5.373	5.378	5.383	5.388	5.394	1930	5.394	5.399	5.404	5.410	5.415	5.420	5.425	5.431	5.436	5.441	5.447	1940	5.447	5.452	5.457	5.463	5.468	5.473	5.479	5.484	5.489	5.495	5.500	1950	5.500	5.505	5.511	5.516	5.521	5.527	5.532	5.537	5.543	5.548	5.553	1960	5.553	5.559	5.564	5.569	5.575	5.580	5.585	5.591	5.596	5.601	5.607	1970	5.607	5.612	5.618	5.623	5.628	5.634	5.639	5.644	5.650	5.655	5.661	1980	5.661	5.666	5.671	5.677	5.682	5.688	5.693	5.698	5.704	5.709	5.715	1990	5.715	5.720	5.725	5.731	5.736	5.742	5.747	5.752	5.758	5.763	5.769	2000	5.769	5.774	5.780	5.785	5.790	5.796	5.801	5.807	5.812	5.818	5.823	2010	5.823	5.828	5.834	5.839	5.845	5.850	5.856	5.861	5.867	5.872	5.878	2020	5.878	5.883	5.888	5.894	5.899	5.905	5.910	5.916	5.921	5.927	5.932	2030	5.932	5.938	5.943	5.949	5.954	5.960	5.965	5.971	5.976	5.982	5.987	2040	5.987	5.993	5.998	6.004	6.009	6.015	6.020	6.026	6.031	6.037	6.042	2050	6.042	6.048	6.053	6.059	6.064	6.070	6.075	6.081	6.086	6.092	6.098	2060	6.098	6.103	6.109	6.114	6.120	6.125	6.131	6.136	6.142	6.147	6.153	2070	6.153	6.159	6.164	6.170	6.175	6.181	6.186	6.192	6.197	6.203	6.209	2080	6.209	6.214	6.220	6.225	6.231	6.237	6.242	6.248	6.253	6.259	6.264	2090	6.264	6.270	6.276	6.281	6.287	6.292	6.298	6.304	6.309	6.315	6.320	2100	6.320	6.326	6.332	6.337	6.343	6.349	6.354	6.360	6.365	6.371	6.377	2110	6.377	6.382	6.388	6.394	6.399	6.405	6.410	6.416	6.422	6.427	6.433	2120	6.433	6.439	6.444	6.450	6.456	6.461	6.467	6.473	6.478	6.484	6.490	2130	6.490	6.495	6.501	6.507	6.512	6.518	6.524	6.529	6.535	6.541	6.546	2140	6.546	6.552	6.558	6.563	6.569	6.575	6.580	6.586	6.592	6.597	6.603	2150	6.603	6.609	6.615	6.620	6.626	6.632	6.637	6.643	6.649	6.655	6.660	2160	6.660	6.666	6.672	6.677	6.683	6.689	6.695	6.700	6.706	6.712	6.718	2170	6.718	6.723	6.729	6.735	6.740	6.746	6.752	6.758	6.763	6.769	6.775	2180	6.775	6.781	6.786	6.792	6.798	6.804	6.809	6.815	6.821	6.827	6.833	2190	6.833	6.838	6.844	6.850	6.856	6.861	6.867	6.873	6.879	6.884	6.890	2200	6.890	6.896	6.902	6.908	6.913	6.919	6.925	6.931	6.937	6.942	6.948	2210	6.948	6.954	6.960	6.966	6.971	6.977	6.983	6.989	6.995	7.000	7.006	2220	7.006	7.012	7.018	7.024	7.030	7.035	7.041	7.047	7.053	7.059	7.065	2230	7.065	7.070	7.076	7.082	7.088	7.094	7.100	7.105	7.111	7.117	7.123	2240	7.123	7.129	7.135	7.141	7.146	7.152	7.158	7.164	7.170	7.176	7.182	2250	7.182	7.187	7.193	7.199	7.205	7.211	7.217	7.223	7.229	7.234	7.240	2260	7.240	7.246	7.252	7.258	7.264	7.270	7.276	7.281	7.287	7.293	7.299	2270	7.299	7.305	7.311	7.317	7.323	7.329	7.335	7.340	7.346	7.352	7.358	2280	7.358	7.364	7.370	7.376	7.382	7.388	7.394	7.400	7.406	7.412	7.417	2290	7.417	7.423	7.429	7.435	7.441	7.447	7.453	7.459	7.465	7.471	7.477	2300	7.477	7.483	7.489	7.495	7.501	7.507	7.512	7.518	7.524	7.530	7.536	2310	7.536	7.542	7.548	7.554	7.560	7.566	7.572	7.578	7.584	7.590	7.596	2320	7.596	7.602	7.608	7.614	7.620	7.626	7.632	7.638	7.644	7.650	7.656	2330	7.656	7.662	7.668	7.674	7.680	7.686	7.692	7.698	7.704	7.710	7.716	2340	7.716	7.722	7.728	7.734	7.740	7.746	7.752	7.758	7.764	7.770	7.776	2350	7.776	7.782	7.788	7.794	7.800	7.806	7.812	7.818	7.824	7.830	7.836	2360	7.836	7.842	7.848	7.854	7.860	7.866	7.872	7.878	7.884	7.890	7.897	2370	7.897	7.903	7.909	7.915	7.921	7.927	7.933	7.939	7.945	7.951	7.957	2380	7.957	7.963	7.969	7.975	7.981	7.987	7.994	8.000	8.006	8.012	8.018	2390

MAXIMUM TEMPERATURE RANGE

Thermocouple Grade

32 to 3092°F
0 to 1700°C

Extension Grade

32 to 212°F
0 to 100°C

LIMITS OF ERROR

(whichever is greater)


Standard: 0.5°C over 800°C

Special: NOT ESTABLISHED

COMMENTS, BARE WIRE ENVIRONMENT:

Oxidizing or Inert; Do Not Insert in Metal Tubes;
Beware of Contamination; High Temperature;
Common Use in Glass Industry


**TEMPERATURE IN DEGREES °F
REFERENCE JUNCTION AT 32°F**



Thermocouple Grade


NONE ESTABLISHED

**Platinum-30% Rhodium
VS.
Platinum-6% Rhodium**



Extension Grade

Revised Thermocouple Reference Tables




Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F	0	1	2	3	4	5	6	7	8	9	10	°F
2400	8.018	8.024	8.030	8.036	8.042	8.048	8.054	8.060	8.066	8.073	8.079	2400	11.185	11.192	11.198	11.205	11.211	11.218	11.224	11.231	11.237	11.244	11.250	2900
2410	8.079	8.085	8.091	8.097	8.103	8.109	8.115	8.121	8.127	8.134	8.140	2410	11.250	11.257	11.263	11.270	11.276	11.282	11.289	11.295	11.302	11.308	11.315	2910
2420	8.140	8.146	8.152	8.158	8.164	8.170	8.176	8.182	8.188	8.195	8.201	2420	11.315	11.321	11.328	11.334	11.341	11.347	11.354	11.360	11.367	11.373	11.380	2920
2430	8.201	8.207	8.213	8.219	8.225	8.231	8.237	8.244	8.250	8.256	8.262	2430	11.380	11.386	11.393	11.399	11.406	11.412	11.419	11.425	11.432	11.438	11.445	2930
2440	8.262	8.268	8.274	8.280	8.286	8.293	8.299	8.305	8.311	8.317	8.323	2440	11.445	11.451	11.458	11.464	11.471	11.477	11.484	11.490	11.497	11.503	11.510	2940
2450	8.323	8.329	8.336	8.342	8.348	8.354	8.360	8.366	8.372	8.379	8.385	2450	11.510	11.516	11.523	11.529	11.536	11.542	11.549	11.555	11.562	11.568	11.575	2950
2460	8.385	8.391	8.397	8.403	8.409	8.416	8.422	8.428	8.434	8.440	8.446	2460	11.575	11.582	11.588	11.595	11.601	11.608	11.614	11.621	11.627	11.634	11.640	2960
2470	8.446	8.453	8.459	8.465	8.471	8.477	8.483	8.490	8.496	8.502	8.508	2470	11.640	11.647	11.653	11.660	11.666	11.673	11.679	11.686	11.692	11.699	11.705	2970
2480	8.508	8.514	8.521	8.527	8.533	8.539	8.545	8.551	8.558	8.564	8.570	2480	11.705	11.712	11.718	11.725	11.731	11.738	11.744	11.751	11.757	11.764	11.770	2980
2490	8.570	8.576	8.582	8.589	8.595	8.601	8.607	8.613	8.620	8.626	8.632	2490	11.770	11.777	11.783	11.790	11.796	11.803	11.809	11.816	11.822	11.829	11.835	2990
2500	8.632	8.638	8.644	8.651	8.657	8.663	8.669	8.675	8.682	8.688	8.694	2500	3000	11.835	11.842	11.848	11.855	11.861	11.868	11.874	11.881	11.887	11.894	3000
2510	8.694	8.700	8.707	8.713	8.719	8.725	8.731	8.738	8.744	8.750	8.756	2510	3010	11.900	11.907	11.913	11.920	11.926	11.933	11.939	11.946	11.952	11.959	3010
2520	8.756	8.763	8.769	8.775	8.781	8.787	8.794	8.800	8.806	8.812	8.819	2520	3020	11.965	11.972	11.978	11.985	11.991	11.998	12.004	12.011	12.017	12.024	3020
2530	8.819	8.825	8.831	8.837	8.844	8.850	8.856	8.862	8.869	8.875	8.881	2530	3030	12.030	12.037	12.043	12.050	12.056	12.063	12.069	12.076	12.082	12.089	3030
2540	8.881	8.887	8.894	8.900	8.906	8.912	8.919	8.925	8.931	8.937	8.944	2540	3040	12.095	12.102	12.108	12.115	12.121	12.128	12.134	12.141	12.147	12.154	3040
2550	8.944	8.950	8.956	8.962	8.969	8.975	8.981	8.988	8.994	9.000	9.006	2550	3050	12.160	12.166	12.173	12.179	12.186	12.192	12.199	12.205	12.212	12.218	3050
2560	9.006	9.013	9.019	9.025	9.031	9.038	9.044	9.050	9.057	9.063	9.069	2560	3060	12.225	12.231	12.238	12.244	12.251	12.257	12.264	12.270	12.277	12.283	3060
2570	9.069	9.075	9.082	9.088	9.094	9.101	9.107	9.113	9.119	9.126	9.132	2570	3070	12.290	12.296	12.303	12.309	12.316	12.322	12.329	12.335	12.342	12.348	3070
2580	9.132	9.138	9.145	9.151	9.157	9.164	9.170	9.176	9.182	9.189	9.195	2580	3080	12.355	12.361	12.368	12.374	12.381	12.387	12.394	12.400	12.407	12.413	3080
2590	9.195	9.201	9.208	9.214	9.220	9.227	9.233	9.239	9.245	9.252	9.258	2590	3090	12.420	12.426	12.433	12.439	12.446	12.452	12.458	12.465	12.471	12.478	3090
2600	9.258	9.264	9.271	9.277	9.283	9.290	9.296	9.302	9.309	9.315	9.321	2600	3100	12.484	12.491	12.497	12.504	12.510	12.517	12.523	12.530	12.536	12.543	3100
2610	9.321	9.328	9.334	9.340	9.347	9.353	9.359	9.366	9.372	9.378	9.385	2610	3110	12.549	12.556	12.562	12.569	12.575	12.582	12.588	12.595	12.601	12.607	3110
2620	9.385	9.391	9.397	9.404	9.410	9.416	9.423	9.429	9.435	9.442	9.448	2620	3120	12.614	12.620	12.627	12.633	12.640	12.646	12.653	12.659	12.666	12.672	3120
2630	9.448	9.454	9.461	9.467	9.473	9.480	9.486	9.492	9.499	9.505	9.511	2630	3130	12.679	12.685	12.692	12.698	12.704	12.711	12.717	12.724	12.730	12.737	3130
2640	9.511	9.518	9.524	9.530	9.537	9.543	9.550	9.556	9.562	9.569	9.575	2640	3140	12.743	12.750	12.756	12.763	12.769	12.776	12.782	12.789	12.795	12.801	3140
2650	9.575	9.581	9.588	9.594	9.600	9.607	9.613	9.619	9.626	9.632	9.639	2650	3150	12.808	12.814	12.821	12.827	12.834	12.840	12.847	12.853	12.860	12.866	3150
2660	9.639	9.645	9.651	9.658	9.664	9.670	9.677	9.683	9.690	9.696	9.702	2660	3160	12.872	12.879	12.885	12.892	12.898	12.905	12.911	12.918	12.924	12.931	3160
2670	9.702	9.709	9.715	9.721	9.728	9.734	9.741	9.747	9.753	9.760	9.766	2670	3170	12.937	12.943	12.950	12.956	12.963	12.969	12.976	12.982	12.989	12.995	3170
2680	9.766	9.772	9.779	9.785	9.792	9.798	9.804	9.811	9.817	9.824	9.830	2680	3180	13.001	13.008	13.014	13.021	13.027	13.034	13.040	13.047	13.053	13.059	3180
2690	9.830	9.836	9.843	9.849	9.856	9.862	9.868	9.875	9.881	9.888	9.894	2690	3190	13.066	13.072	13.079	13.085	13.092	13.098	13.104	13.111	13.117	13.124	3190
2700	9.894	9.900	9.907	9.913	9.920	9.926	9.932	9.939	9.945	9.952	9.958	2700	3200	13.130	13.137	13.143	13.149	13.156	13.162	13.169	13.175	13.182	13.188	3200
2710	9.958	9.964	9.971	9.977	9.984	9.990	9.996	10.003	10.009	10.016	10.022	2710	3210	13.194	13.201	13.207	13.214	13.220	13.227	13.233	13.239	13.246	13.252	3210
2720	10.022	10.028	10.035	10.041	10.048	10.054	10.061	10.067	10.073	10.080	10.086	2720	3220	13.259	13.265	13.271	13.278	13.284	13.291	13.297	13.304	13.310	13.316	3220
2730	10.086	10.093	10.099	10.105	10.112	10.118	10.125	10.131	10.138	10.144	10.150	2730	3230	13.323	13.329	13.336	13.342	13.348	13.355	13.361	13.368	13.374	13.380	3230
2740	10.150	10.157	10.163	10.170	10.176	10.183	10.189	10.195	10.202	10.208	10.215	2740	3240	13.387	13.393	13.400	13.406	13.412	13.419	13.425	13.432	13.438	13.444	3240
2750	10.215	10.221	10.228	10.234	10.240	10.247	10.253	10.260	10.266	10.273	10.279	2750	3250	13.451	13.457	13.464	13.470	13.476	13.483	13.489	13.496	13.502	13.508	3250
2760	10.279	10.286	10.292	10.298	10.305	10.311	10.318	10.324	10.331	10.337	10.344	2760	3260	13.515	13.521	13.527	13.534	13.540	13.547	13.553	13.559	13.566	13.572	3260
2770	10.344	10.350	10.356	10.363	10.369	10.376	10.382	10.389	10.395	10.402	10.408	2770	3270	13.579	13.585	13.591	13.598	13.604	13.610	13.617	13.623	13.630	13.636	3270
2780	10.408	10.414	10.421	10.427	10.434	10.440	10.447	10.453	10.460	10.466	10.473	2780	3280	13.642	13.649	13.655	13.661	13.668	13.674	13.680	13.687	13.693	13.700	3280
2790	10.473	10.479	10.485	10.492	10.498	10.505	10.511	10.518	10.524	10.531	10.537	2790	3290	13.706	13.712	13.719	13.725	13.731	13.738	13.744	13.750	13.757	13.763	3290
2800	10.537	10.544	10.550	10.556	10.563	10.569	10.576	10.582	10.589	10.595	10.602	2800	3300	13.769	13.776	13.782	13.789	13.795	13.801	13.808	13.814	13.820		3300
2810	10.602	10.608	10.615	10.621	10.628	10.634	10.641	10.647	10.653	10.660	10.666	2810												
2820	10.666	10.673	10.679	10.686	10.692	10.699	10.705																	

Revised Thermocouple Reference Tables

TYPE N

Reference Tables
N.I.S.T.
Monograph 175
Revised to ITS-90



Thermocouple Grade
Nickel-14.2% Chromium-1.4% Silicon

vs.
Nickel-4.4% Silicon-0.1% Magnesium

Extension Grade



MAXIMUM TEMPERATURE RANGE

Thermocouple Grade

- 450 to 2372°F
- 270 to 1300°C

Extension Grade

32 to 392°F
0 to 200°C

LIMITS OF ERROR (whichever is greater)

Standard: 2.2°C or 0.75% Above 0°C
2.2°C or 2.0% Below 0°C

Special: 1.1°C or 0.4%

COMMENTS, BARE WIRE ENVIRONMENT:

Alternative to Type K; More Stable at High Temperatures

TEMPERATURE IN DEGREES °F
REFERENCE JUNCTION AT 32°F

Thermoelectric Voltage in Millivolts

°F	-10	-9	-8	-7	-6	-5	-4	-3	-2	-1	0	°F	100	0	1	2	3	4	5	6	7	8	9	10	°F
-450							-4.345	-4.345	-4.345	-4.344	-4.344	-450	100	1.004	1.019	1.034	1.049	1.065	1.080	1.095	1.110	1.125	1.141	1.156	100
-440	-4.344	-4.344	-4.343	-4.343	-4.342	-4.342	-4.341	-4.341	-4.340	-4.340	-4.339	-440	110	1.156	1.171	1.186	1.202	1.217	1.232	1.248	1.263	1.278	1.294	1.309	110
-430	-4.339	-4.338	-4.337	-4.337	-4.336	-4.335	-4.334	-4.333	-4.332	-4.331	-4.330	-430	120	1.309	1.324	1.340	1.355	1.371	1.386	1.402	1.417	1.432	1.448	1.463	120
-420	-4.330	-4.329	-4.327	-4.326	-4.325	-4.324	-4.322	-4.321	-4.319	-4.318	-4.316	-420	130	1.463	1.479	1.494	1.510	1.525	1.541	1.557	1.572	1.588	1.603	1.619	130
-410	-4.316	-4.315	-4.313	-4.312	-4.310	-4.308	-4.306	-4.305	-4.303	-4.301	-4.299	-410	140	1.619	1.635	1.650	1.666	1.682	1.697	1.713	1.729	1.744	1.760	1.776	140
-400	-4.299	-4.297	-4.295	-4.293	-4.291	-4.288	-4.286	-4.284	-4.282	-4.279	-4.277	-400	150	1.776	1.791	1.807	1.823	1.839	1.855	1.870	1.886	1.902	1.918	1.934	150
-390	-4.277	-4.275	-4.272	-4.270	-4.267	-4.264	-4.262	-4.259	-4.256	-4.254	-4.251	-390	160	1.934	1.950	1.965	1.981	1.997	2.013	2.029	2.045	2.061	2.077	2.093	160
-380	-4.251	-4.248	-4.245	-4.242	-4.239	-4.236	-4.233	-4.230	-4.226	-4.223	-4.220	-380	170	2.093	2.109	2.125	2.141	2.157	2.173	2.189	2.205	2.221	2.237	2.253	170
-370	-4.220	-4.217	-4.213	-4.210	-4.206	-4.203	-4.199	-4.196	-4.192	-4.189	-4.185	-370	180	2.253	2.269	2.285	2.301	2.317	2.333	2.350	2.366	2.382	2.398	2.415	180
-360	-4.185	-4.181	-4.177	-4.174	-4.170	-4.166	-4.162	-4.158	-4.154	-4.150	-4.145	-360	190	2.415	2.431	2.447	2.463	2.480	2.496	2.512	2.528	2.545	2.561	2.577	190
-350	-4.145	-4.141	-4.137	-4.133	-4.128	-4.124	-4.120	-4.115	-4.111	-4.106	-4.102	-350	200	2.577	2.594	2.610	2.626	2.643	2.659	2.676	2.692	2.708	2.725	2.741	200
-340	-4.102	-4.097	-4.092	-4.088	-4.083	-4.078	-4.073	-4.068	-4.064	-4.059	-4.054	-340	210	2.741	2.758	2.774	2.791	2.807	2.824	2.840	2.857	2.873	2.890	2.906	210
-330	-4.054	-4.049	-4.043	-4.038	-4.033	-4.028	-4.023	-4.017	-4.012	-4.007	-4.001	-330	220	2.906	2.923	2.939	2.956	2.973	2.989	3.006	3.022	3.039	3.056	3.072	220
-320	-4.001	-3.996	-3.990	-3.985	-3.979	-3.974	-3.968	-3.962	-3.957	-3.951	-3.945	-320	230	3.072	3.089	3.106	3.123	3.139	3.156	3.173	3.189	3.206	3.223	3.240	230
-310	-3.945	-3.939	-3.933	-3.927	-3.921	-3.915	-3.909	-3.903	-3.897	-3.891	-3.884	-310	240	3.240	3.257	3.273	3.290	3.307	3.324	3.341	3.358	3.374	3.391	3.408	240
-300	-3.884	-3.878	-3.872	-3.866	-3.859	-3.853	-3.846	-3.840	-3.833	-3.827	-3.820	-300	250	3.408	3.425	3.442	3.459	3.476	3.493	3.510	3.527	3.544	3.561	3.578	250
-290	-3.820	-3.813	-3.807	-3.800	-3.793	-3.786	-3.779	-3.773	-3.766	-3.759	-3.752	-290	260	3.578	3.595	3.612	3.629	3.646	3.663	3.680	3.697	3.714	3.731	3.748	260
-280	-3.752	-3.745	-3.738	-3.730	-3.723	-3.716	-3.709	-3.702	-3.694	-3.687	-3.679	-280	270	3.748	3.766	3.783	3.800	3.817	3.834	3.851	3.869	3.886	3.903	3.920	270
-270	-3.679	-3.672	-3.665	-3.657	-3.650	-3.642	-3.634	-3.627	-3.619	-3.611	-3.604	-270	280	3.920	3.937	3.953	3.972	3.989	4.007	4.024	4.041	4.058	4.076	4.093	280
-260	-3.604	-3.596	-3.588	-3.580	-3.572	-3.564	-3.556	-3.548	-3.540	-3.532	-3.524	-260	290	4.093	4.110	4.128	4.145	4.162	4.180	4.197	4.215	4.232	4.250	4.267	290
-250	-3.524	-3.516	-3.508	-3.499	-3.491	-3.483	-3.474	-3.466	-3.458	-3.449	-3.441	-250	300	4.267	4.284	4.302	4.319	4.337	4.354	4.372	4.389	4.407	4.424	4.442	300
-240	-3.441	-3.432	-3.424	-3.415	-3.407	-3.398	-3.389	-3.380	-3.372	-3.363	-3.354	-240	310	4.442	4.459	4.477	4.495	4.513	4.530	4.547	4.565	4.583	4.601	4.618	310
-230	-3.354	-3.345	-3.336	-3.327	-3.318	-3.309	-3.300	-3.291	-3.282	-3.273	-3.264	-230	320	4.618	4.635	4.653	4.671	4.688	4.706	4.724	4.742	4.759	4.777	4.795	320
-220	-3.264	-3.255	-3.246	-3.236	-3.227	-3.218	-3.208	-3.199	-3.189	-3.180	-3.171	-220	330	4.795	4.813	4.830	4.848	4.866	4.884	4.901	4.919	4.937	4.955	4.973	330
-210	-3.171	-3.161	-3.151	-3.142	-3.132	-3.123	-3.113	-3.103	-3.093	-3.084	-3.074	-210	340	4.973	4.991	5.008	5.026	5.044	5.062	5.080	5.098	5.116	5.134	5.152	340
-200	-3.074	-3.064	-3.054	-3.044	-3.034	-3.024	-3.014	-3.004	-2.994	-2.984	-2.974	-200	350	5.152	5.170	5.188	5.206	5.224	5.241	5.259	5.277	5.295	5.314	5.332	350
-190	-2.974	-2.964	-2.954	-2.943	-2.933	-2.923	-2.912	-2.902	-2.892	-2.881	-2.871	-190	360	5.332	5.350	5.368	5.386	5.404	5.422	5.440	5.458	5.476	5.494	5.512	360
-180	-2.871	-2.860	-2.850	-2.839	-2.829	-2.818	-2.808	-2.797	-2.786	-2.776	-2.765	-180	370	5.512	5.531	5.549	5.567	5.585	5.603	5.621	5.639	5.658	5.676	5.694	370
-170	-2.765	-2.754	-2.743	-2.733	-2.722	-2.711	-2.700	-2.689	-2.678	-2.667	-2.656	-170	380	5.694	5.712	5.731	5.749	5.767	5.785	5.804	5.822	5.840	5.858	5.877	380
-160	-2.656	-2.645	-2.634	-2.623	-2.612	-2.601	-2.589	-2.578	-2.567	-2.556	-2.544	-160	390	5.877	5.895	5.913	5.932	5.950	5.968	5.987	6.005	6.024	6.042	6.060	390
-150	-2.544	-2.533	-2.522	-2.510	-2.499	-2.488	-2.476	-2.465	-2.453	-2.442	-2.430	-150	400	6.060	6.079	6.097	6.116	6.134	6.152	6.171	6.189	6.208	6.226	6.245	400
-140	-2.430	-2.418	-2.407	-2.395	-2.384	-2.372	-2.360	-2.348	-2.337	-2.325	-2.313	-140	410	6.245	6.263	6.282	6.300	6.319	6.337	6.356	6.374	6.393	6.411	6.430	410
-130	-2.313	-2.301	-2.289	-2.277	-2.265	-2.254	-2.242	-2.230	-2.218	-2.206	-2.193	-130	420	6.430	6.449	6.467	6.486	6.504	6.523	6.542	6.560	6.579	6.597	6.616	420
-120	-2.193	-2.181	-2.169	-2.157	-2.145	-2.133	-2.121	-2.108	-2.096	-2.084	-2.072	-120	430	6.616	6.635	6.653	6.672	6.691	6.710	6.728	6.747	6.766	6.784	6.803	430
-110	-2.072	-2.059	-2.047	-2.035	-2.022	-2.010	-1.997	-1.985	-1.972	-1.960	-1.947	-110	440	6.803	6.822	6.841	6.859	6.878	6.897	6.916	6.934	6.953	6.972	6.991	440
-100	-1.947	-1.935	-1.922	-1.910	-1.897	-1.884	-1.872	-1.859	-1.846	-1.834	-1.821	-100	450	6.991	7.010	7.029	7.047	7.066	7.085	7.104	7.123	7.142	7.161	7.179	450
-90	-1.821	-1.808	-1.795	-1.783	-1.770	-1.757	-1.744	-1.731	-1.718	-1.705	-1.692	-90	460	7.179	7.198	7.217	7.236	7.255	7.274	7.293	7.312	7.331	7.350	7.369	460
-80	-1.692	-1.679	-1.666	-1.653	-1.640	-1.627	-1.614	-1.601	-1.588	-1.575	-1.562	-80	470	7.369	7.388	7.407	7.426	7.445	7.464	7.483	7.502	7.521	7.540	7.559	470
-70	-1.562	-1.549	-1.536	-1.522	-1.509	-1.496	-1.483	-1.470	-1.456	-1.443	-1.430	-70	480	7.559	7.578	7.597	7.616	7.635	7.654	7.673	7.692	7.711	7.731	7.750	480
-60	-1.430	-1.416	-1.403	-1.390	-1.376	-1.363	-1.349	-1.336	-1.323	-1.309	-1.296	-60	490	7.750	7.769	7.788	7.807	7.826	7.845	7.865	7.884	7.903	7.922	7.941	490
-50	-1.296	-1.282	-1.269	-1.255	-1.242	-1.228	-1.214	-1.201	-1.187	-1.174	-1.160	-50	500	7.941	7.960	7.980	7.999	8.018	8.037	8.057	8.076	8.095	8.114	8.134	500
-40	-1.160	-1.146	-1.133	-1.119	-1.105	-1.092	-1.078	-1.064	-1.050	-1.037	-1.023	-40	510	8.134	8.153	8.172	8.191	8.211	8.230	8.249	8.269	8.288	8.307	8.327	510
-30	-1.023	-1.009	-0.995	-0.981	-0.967	-0.954	-0.940	-0.926	-0.912	-0.898	-0.884	-3													

MAXIMUM TEMPERATURE RANGE

Thermocouple Grade

- 450 to 2372°F
- 270 to 1300°C

Extension Grade

32 to 392°F
0 to 200°C


LIMITS OF ERROR

(whichever is greater)
Standard: 2.2°C or 0.75% Above 0°C
2.2°C or 2.0% Below 0°C
Special: 1.1°C or 0.4%

COMMENTS, BARE WIRE ENVIRONMENT:

Alternative to Type K; More Stable at High Temperatures

**TEMPERATURE IN DEGREES °F
REFERENCE JUNCTION AT 32°F**



Thermocouple
Grade

**Nickel-14.2%
Chromium-1.4% Silicon
vs.
Nickel-4.4% Silicon-
0.1% Magnesium**

Extension
Grade



Revised Thermocouple Reference Tables

TYPE N

Reference Tables
N.I.S.T.
Monograph 175
Revised to
ITS-90

Thermoelectric Voltage in Millivolts

°F	0	1	2	3	4	5	6	7	8	9	10	°F
700	11.907	11.928	11.948	11.968	11.989	12.009	12.030	12.071	12.071	12.091	12.111	700
710	12.111	12.132	12.152	12.173	12.193	12.214	12.234	12.255	12.275	12.295	12.316	710
720	12.316	12.336	12.357	12.377	12.398	12.418	12.439	12.459	12.480	12.500	12.521	720
730	12.521	12.542	12.562	12.583	12.603	12.624	12.644	12.665	12.685	12.706	12.726	730
740	12.726	12.747	12.768	12.788	12.809	12.829	12.850	12.871	12.891	12.912	12.932	740
750	12.932	12.953	12.974	12.994	13.015	13.036	13.056	13.077	13.098	13.118	13.139	750
760	13.139	13.159	13.180	13.201	13.221	13.242	13.263	13.284	13.304	13.325	13.346	760
770	13.346	13.366	13.387	13.408	13.428	13.449	13.470	13.491	13.511	13.532	13.553	770
780	13.553	13.574	13.594	13.615	13.636	13.657	13.677	13.698	13.719	13.740	13.760	780
790	13.760	13.781	13.802	13.823	13.844	13.864	13.885	13.906	13.927	13.948	13.969	790
800	13.969	13.989	14.010	14.031	14.052	14.073	14.094	14.114	14.135	14.156	14.177	800
810	14.177	14.198	14.219	14.240	14.260	14.281	14.302	14.323	14.344	14.365	14.386	810
820	14.386	14.407	14.428	14.448	14.469	14.490	14.511	14.532	14.553	14.574	14.595	820
830	14.595	14.616	14.637	14.658	14.679	14.700	14.721	14.742	14.763	14.784	14.804	830
840	14.804	14.825	14.846	14.867	14.888	14.909	14.930	14.951	14.972	14.993	15.014	840
850	15.014	15.035	15.056	15.077	15.098	15.119	15.140	15.162	15.183	15.204	15.225	850
860	15.225	15.246	15.267	15.288	15.309	15.330	15.351	15.372	15.393	15.414	15.435	860
870	15.435	15.456	15.477	15.498	15.520	15.541	15.562	15.583	15.604	15.625	15.646	870
880	15.646	15.667	15.688	15.709	15.731	15.752	15.773	15.794	15.815	15.836	15.857	880
890	15.857	15.878	15.900	15.921	15.942	15.963	15.984	16.005	16.027	16.048	16.069	890
900	16.069	16.090	16.111	16.132	16.154	16.175	16.196	16.217	16.238	16.260	16.281	900
910	16.281	16.302	16.323	16.344	16.366	16.387	16.408	16.429	16.450	16.472	16.493	910
920	16.493	16.514	16.535	16.557	16.578	16.599	16.620	16.642	16.663	16.684	16.705	920
930	16.705	16.727	16.748	16.769	16.791	16.812	16.833	16.854	16.875	16.896	16.918	930
940	16.918	16.939	16.961	16.982	17.003	17.025	17.046	17.067	17.088	17.110	17.131	940
950	17.131	17.152	17.174	17.195	17.216	17.238	17.259	17.280	17.302	17.323	17.344	950
960	17.344	17.366	17.387	17.408	17.430	17.451	17.472	17.494	17.515	17.536	17.558	960
970	17.558	17.579	17.601	17.622	17.643	17.665	17.686	17.707	17.729	17.750	17.772	970
980	17.772	17.793	17.814	17.836	17.857	17.879	17.900	17.921	17.943	17.964	17.986	980
990	17.986	18.007	18.028	18.050	18.071	18.093	18.114	18.136	18.157	18.178	18.200	990
1000	18.200	18.221	18.243	18.264	18.286	18.307	18.328	18.350	18.371	18.393	18.414	1000
1010	18.414	18.436	18.457	18.479	18.500	18.522	18.543	18.565	18.586	18.608	18.629	1010
1020	18.629	18.650	18.672	18.693	18.715	18.736	18.758	18.779	18.801	18.822	18.844	1020
1030	18.844	18.865	18.887	18.908	18.930	18.951	18.973	18.994	19.016	19.037	19.059	1030
1040	19.059	19.081	19.102	19.124	19.145	19.167	19.188	19.210	19.231	19.253	19.274	1040
1050	19.274	19.296	19.317	19.339	19.360	19.382	19.404	19.425	19.447	19.468	19.490	1050
1060	19.490	19.511	19.533	19.554	19.576	19.598	19.619	19.641	19.662	19.684	19.705	1060
1070	19.705	19.727	19.749	19.770	19.792	19.813	19.835	19.857	19.878	19.900	19.921	1070
1080	19.921	19.943	19.964	19.986	20.008	20.029	20.051	20.072	20.094	20.116	20.137	1080
1090	20.137	20.159	20.181	20.202	20.224	20.245	20.267	20.289	20.310	20.332	20.353	1090
1100	20.353	20.375	20.397	20.418	20.440	20.462	20.483	20.505	20.527	20.548	20.570	1100
1110	20.570	20.591	20.613	20.635	20.656	20.678	20.700	20.721	20.743	20.765	20.786	1110
1120	20.786	20.808	20.830	20.851	20.873	20.895	20.916	20.938	20.960	20.981	21.003	1120
1130	21.003	21.025	21.046	21.068	21.090	21.111	21.133	21.155	21.176	21.198	21.220	1130
1140	21.220	21.241	21.263	21.285	21.306	21.328	21.350	21.371	21.393	21.415	21.437	1140
1150	21.437	21.458	21.480	21.502	21.523	21.545	21.567	21.588	21.610	21.632	21.654	1150
1160	21.654	21.675	21.697	21.719	21.740	21.762	21.784	21.806	21.827	21.849	21.871	1160
1170	21.871	21.892	21.914	21.936	21.958	21.979	22.001	22.023	22.044	22.066	22.088	1170
1180	22.088	22.110	22.131	22.153	22.175	22.197	22.218	22.240	22.262	22.284	22.305	1180
1190	22.305	22.327	22.349	22.370	22.392	22.414	22.436	22.457	22.479	22.501	22.523	1190
1200	22.523	22.544	22.566	22.588	22.610	22.631	22.653	22.675	22.697	22.718	22.740	1200
1210	22.740	22.762	22.784	22.805	22.827	22.849	22.871	22.893	22.914	22.936	22.958	1210
1220	22.958	22.980	23.001	23.023	23.045	23.067	23.088	23.110	23.132	23.154	23.176	1220
1230	23.176	23.197	23.219	23.241	23.263	23.284	23.306	23.328	23.350	23.372	23.393	1230
1240	23.393	23.415	23.437	23.459	23.480	23.502	23.524	23.546	23.568	23.589	23.611	1240
1250	23.611	23.633	23.655	23.676	23.698	23.720	23.742	23.764	23.785	23.807	23.829	1250
1260	23.829	23.851	23.873	23.894	23.916	23.938	23.960	23.982	24.003	24.025	24.047	1260
1270	24.047	24.069	24.091	24.112	24.134	24.156	24.178	24.200	24.221	24.243	24.265	1270
1280	24.265	24.287	24.309	24.330	24.352	24.374	24.396	24.418	24.439	24.461	24.483	1280
1290	24.483	24.505	24.527	24.548	24.570	24.592	24.614	24.636	24.658	24.679	24.701	1290

°F	0	1	2	3	4	5	6	7	8	9	10	°F
1300	24.701	24.723	24.745	24.767	24.788	24.810	24.832	24.854	24.876	24.897	24.919	1300
1310	24.919	24.941	24.963	24.985	25.007	25.028	25.050	25.072	25.094	25.116	25.137	1310
1320	25.137	25.159	25.181	25.203	25.225	25.247	25.268	25.290	25.312	25.334	25.356	1320
1330	25.356	25.377	25.399	25.421	25.443	25.465	25.487	25.508	25.530	25.552	25.574	1330
1340	25.574	25.596	25.618	25.639	25.661	25.683	25.705	25.727	25.748	25.770	25.792	1340
1350	25.792	25.814	25.836	25.858	25.879	25.901	25.923	25.945	25.967	25.989	26.010	1350
1360	26.010	26.032	26.054	26.076	26.098	26.119	26.141	26.163	26.185	26.207	26.229	1360
1370	26.229	26.250	26.272	26.294	26.316	26.338	26.360	26.381	26.403	26.425	26.447	1370
1380	26.447	26.469	26.491	26.512	26.534	26.556	26.578	26.600	26.622	26.644	26.666	1380
1390	26.666	26.687	26.709	26.731	26.752	26.774	26.796	26.818	26.840	26.862	26.883	1390
1400	26.883	26.905	26.927	26.949	26.971	26.993	27.014	27.036	27.058	27.080	27.102	1400
1410	27.102	27.124	27.145	27.167	27.189	27.211	27.233	27.254	27.276	27.298	27.320	1410
1420	27.320	27.342	27.364	27.385	27.407	27.429	27.451	27.473	27.495	27.517	27.538	1420
1430	27.538	27.560	27.582	27.604	27.625	27.647	27.669	27.691	27.713	27.735	27.756	1430
1440	27.756	27.778	27.800	27.822	27.844	27.866	27.887	27.909	27.931	27.953	27.975	1440
1450	27.975	27.996	28.018	28.040	28.062	28.084	28.105	28.127	28.149	28.171	28.193	1450
1460	28.193	28.215	28.236	28.258	28.280	28.302	28.324	28.345	28.367	28.389	28.411	1460
1470	28.411	28.433	28.455	28.476	28.498	28.520	28.542	28.564	28.585	28.607	2	